



ALDON CORPORATION


MATERIAL SAFETY DATA SHEET

221 Rochester Street
Avon, New York 14414-9409
(585) 226-6177

MSDS No.: MM0096
Effective Date: January 12, 2007

SECTION I NAME 24 HOUR EMERGENCY ASSISTANCE

Product	Magnesium Nitrate, 0.1 Molar Solution
Chemical Synonyms	Magnesium Nitrate, Water Solution
Formula	Mixture. See Section II.
Unit Size	up to 3.785 Lt.
C.A.S. No.	Mixture. See Section II.



CHEMTREC
800-424-9300
Day 585-226-6177

Health	1
Fire	0
Reactivity	0

NFPA

HAZARD RATING				
MINIMAL	SLIGHT	MODERATE	SERIOUS	SEVERE
0	1	2	3	4

HMIS*

SECTION II INGREDIENTS OF MIXTURES

Principal Component(s)	%	TLV Units
Magnesium nitrate: (CAS No. 10377-60-3)	1.48%	None established.
Water: (CAS No. 7732-18-5)	98.52%	None established.
WARNING! HARMFUL IF SWALLOWED.		

SECTION III PHYSICAL DATA

Melting Point (°F)	Freezes approx. 0°C (32°F)	Specific Gravity (H ₂ O = 1)	Approx. 1.0
Boiling Point (°F)	Approx. 100°C (212°F)	Percent Volatile by Volume (%)	98.52%
Vapor Pressure (mm Hg)	14 (water).	Evaporation Rate (Water =1)	Slightly less than 1.
Vapor Density (Air=1)	0.7 (water).		
Solubility in Water	Complete.		
Appearance & Odor	Clear, water white liquid; no odor.		

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used)	Non-flammable.	Flammable Limits in Air % by Volume	N/A	Lower	Upper
Extinguisher Media	Use any media suitable for extinguishing supporting fire.				

SPECIAL FIREFIGHTING PROCEDURES

If involved in fire situation, wear a NIOSH/MSHA-approved self-contained breathing apparatus. Use flooding amounts of water in early stages of fire.

UNUSUAL FIRE AND EXPLOSION HAZARDS

In fire conditions resulting in the evaporation of the water solution, Magnesium Nitrate is an active oxidizing material. In contact with easily oxidizable substances it may react rapidly enough to cause ignition, violent combustion or explosion. Increases the flammability of any combustible substance. Yields toxic gaseous oxides of nitrogen when involved in fire.

D.O.T. NON-REGULATED.

Approved by U.S. Department of Labor "essentially similar" to form OSHA-20

SECTION V HEALTH HAZARD DATA

MM0096

Threshold Limited Value

None established. (ACGIH 2001).

Effects of Overexposure

INHALATION: Dust or mist may cause local irritation. **INGESTION:** May cause diuresis and perhaps catharsis. Some extreme cases may show cyanosis (blue skin) and falling blood pressure, indicated by headache, flush skin, vomiting, dizziness. **SKIN:** Concentrated aqueous solution or dust may cause local irritation. **EYES:** May cause local irritation. Target organs: None known.

Emergency and First Aid Procedures

INGESTION: Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person. **EYES:** Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention. **SKIN:** Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention. **INHALATION:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

SECTION VI REACTIVITY DATA

Stability	Unstable		Conditions to Avoid	Excessive temperature to cause evaporation.
	Stable	X		

Incompatibility (Materials to Avoid)	Reducing agents, oxidizable and combustible materials. Examples: Easily oxidizable organics, aluminum dust, cyanides.
---	---

Hazardous Decomposition Products	Toxic nitric acid fumes and sometimes nitrogen tetroxide are reported. Also may yield hazardous mist in range 110°-330°C (230°-626°F).
---	--

Hazardous Polymerization	Conditions to Avoid
May Occur	Will Not Occur
	X
Not applicable.	

SECTION VII SPILL OR LEAK PROCEDURES

Steps to be taken in case material is released or spilled	Flush the aqueous solution down drain with plenty of water.
--	---

Waste Disposal Method	Discharge, treatment, or disposal may be subject to Federal, State or Local laws. These disposal guidelines are intended for the disposal of catalog-size quantities only.
------------------------------	--

Flush the aqueous solution down drain with plenty of water.

SECTION VIII SPECIAL PROTECTION INFORMATION

Respiration Protection (Specify Type)	None needed in normal laboratory handling. If misty conditions prevail, work in ventilation hood or wear a NIOSH/MSHA-approved respirator.		
--	--	--	--

Ventilation	Local Exhaust	Not required.	Special	No.
	Mechanical (General)	Not required.	Other	No.

Protective Gloves	Rubber - may cause irritation on long exposure.	Eye Protection	Chemical safety glasses.
--------------------------	---	-----------------------	--------------------------

Other Protective Equipment	Lab coat, apron, eye wash station, proper gloves.
-----------------------------------	---

SECTION IX SPECIAL PRECAUTIONS

Precautions to be Taken in Handling & Storing	Store in a cool place. Wash thoroughly after handling.
<small>Keep container tightly closed when not in use.</small>	

Other Precautions	Read label on container before using. Do not wear contact lenses when working with chemicals. For laboratory use only. Not for drug, food or household use. Keep out of reach of children.
--------------------------	--

Avoid contact with skin and eyes. Remove and wash contaminated clothing.

Revision No. 6	Date 01/12/07	Approved James A. Bertsch	Chemical Safety Coordinator JAB
----------------	---------------	---------------------------	---------------------------------

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. * Hazardous Materials Industrial Standards. Printed on recycled paper.